
PS

186,401.26

[illegible]

					68360.62		68360.62
1			473.3866	78	36924.15	78	36924.15
2			134.7492	98	13205.42	98	13205.42
3			18231.045	1	18231.05	1	18231.05
	合						
					16708.4		20618.36
1	合	kg	73.2	3.24	237.17	3.24	237.17
2	<3mm	kg	98.88	3.38	334.21	3.38	334.21
3	合	kg	7.068	3.21	22.69	3.21	22.69
4	<2.5mm	kg	5.85	4.34	25.39	4.34	25.39
5	4.5mm	m3	1.4136	0.78	1.1	0.78	1.1
6		m3	0.0381	1560.8	59.47	1560.8	59.47
7	200*250*2500mm	m3	0.171	1683.2	287.83	1683.2	287.83
8	135*120*1200mm	m3	0.0283	1114.8	31.55	1114.8	31.55
9	8-12#	kg	2.8	3.26	9.13	3.26	9.13
10	14-22#	kg	9.6	3.43	32.93	3.43	32.93
11	8-12#	kg	16.9632	5.75	97.54	5.75	97.54
12	1.6-2.6mm	kg	0.15	4.8	0.72	4.8	0.72
13		kg	60	3.43	205.8	3.43	205.8
14	0-3# 1-8#	kg	128.49	4.8	616.75	4.8	616.75
15			36	0.86	30.96	0.86	30.96
16	T42-2	kg	44.7	4.72	210.98	4.72	210.98
17	90#	L	13.8	4.97	68.59	4.97	68.59
18		kg	52.62	3.6	189.43	3.6	189.43
19		kg	14.9	7.82	116.52	7.82	116.52
20		kg	23.75	11.92	283.1	11.92	283.1
21	()	kg	3.2	8.58	27.46	8.58	27.46
22	合	kg	2.4	12.18	29.23	12.18	29.23
23		kg	0.9	9.69	8.72	9.69	8.72
24		kg	0.15	11.83	1.77	11.83	1.77
25		m3	49.17	3.09	151.94	3.09	151.94
26		m3	16.41	24.01	394	24.01	394
27	0-3#		24.8	0.81	20.09	0.81	20.09
28		kg	41.95	4.75	199.26	4.75	199.26
29		kg	6.9	7.13	49.2	7.13	49.2
30			1.4136	1.85	2.62	1.85	2.62
31			86.0706	1	86.07	1	86.07
			630	1	630	1	

